

## Publikationen

1. SARSS-CoV-2 infection and venous thromboembolism after surgery: an international prospective cohort study. COVIDSurg Collaborative; GlobalSurg Collaborative. *Anaesthesia*. 2022 Jan;77(1):28-39. DOI 10.1111/anae.15563. Epub 2021 Aug 24. PMID: 34428858
2. Machine learning risk prediction of mortality for patients undergoing surgery with perioperative SARS-CoV-2: the COIDSurg mortality score. COCIDSurg Collaborative. *Bf J Surg* 2021 Nov 11;108(11):1274-1292. DOI: 10.1093/bjs/znab183. PMID: 34227657
3. Effects of pre-operative isolation on postoperative pulmonary complications after elective surgery: an international prospective cohort study. COVIDSurg Collaborative; GlobalSurg Collaborative. *Anaesthesia*. 2021 Nov;76(11):1454-1464. DOI: 10.1111/anae.15560. Epub 2021 Aug 9. PMID: 34371522
4. SARS-CoV-2 vaccination modelling for safe surgery to save lives: data from an international prospective cohort study. COVIDSurg Collaborative, GlobalSurg Collaborative. *Br J Surg*. 2021 Sep 27;108(9):1056-1063. DOI: 10.1093/bjs/znab101. PMID: 33761533
5. Timing of surgery following SARS-CoV-2 infection: an international prospective cohort study. COVIDSurg Collaborative; GlobalSurg Collaborative. *Anaesthesia*. 2021 Jun;76(6):748-758. DOI: 10.1111/anae.15458. Epub 2021 Mar 9. PMID: 33690889
6. Antirefluxchirurgie 2021. Emmanuel K, von Rahden BHA, Kalff J, Zentralbl Chir. 2021 Apr;146(2):163-164. DOI: 10.1055/a-1384-4468, Epub 2021 Apr 13. PMID: 33851380
7. Surgical strategies during the COVID-19 crisis: The Salzburg concept. Presl J, Weitzendorfer M, Varga M, Borhanian K, Ciftci S, Emmanuel K, von Rahden BHA. *Am J Surg*. 2020 Sep;220(3):550-552. DOI: 10.1016/j.amjsurg.2020.05.006. Epub 2020 May 12. PMID: 32430150
8. Impact of contemporary therapy-concepts on surgical morbidity in breast cancer patients: A retrospective single center analysis of 829 patients. Schlagmuth P, helfgott R, Theodosiadi S, Mascherbauer M, Peter A, Geinitz H, Langsteger W, Emmanuel K, Fitzal F. *Eur J Surg Oncol*. 2020 Aug;46(8):1477-1483. DOI: 10.1016/j.ejso.2020.04.034. Epub 2020 Apr 27. PMID: 32439263
9. Prospective randomized controlled trial on comparison of standard CO<sub>2</sub> pressure pneumoperitoneum insufflator versus AirSeal®. Luketina R, Luketina TLH, Antoniou SA, Köhler G, Könneker S, Manzenreiter L, Wundsam H, Koch OO, Knauer M, Emmanuel K. *Surg Endosc*. 2020 Aug 7:1-9. DOI: 10.1007/s00464-020-07846-4, PMID: 32767145 (Online ahead of print).
10. Pepsin and oropharyngeal pH monitoring to diagnose patients with laryngopharyngeal reflux. Weitzendorfer M, Antoniou SA, Schredl P, Witzel K, Weitzendorfer IC, Majerus A, Emmanuel K, Koch OO. *Laryngoscope*. 2020 Jul;130(7): 1780-1786, DOI: 10.1002/lar.28320. Epub 2019 Oct 11; PMID: 31603541
11. The COVID Surgery Service (CSS) within the Salzburg COVID-Emergency Plan (SCEP). Presl J, Weitzendorfer M, Varga M, Kryeziu H, Ciftci S, Borhanian K, Emmanuel K, von Rahden BHA. *BR J Surg*. 2020 Jul;107(8):e244, DOI: 10.1002/bjs.11682. Epub 2020 May 23. PMID: 32445397
12. Are immunosuppressive conditions and preoperative corticosteroid treatment risk factors in inguinal hernia repair? Varga M, Köckerling F, Mayer F, Lechner M, Fortelny R, Bittner R, Borhanian K, Adolf D, Bittner R, Emmanuel K. *Surg Endosc*. 2020 Jun 18. DOI: 10.1007/s00464-020-07736-9, PMID: 32556698 (Online ahead of print)
13. Potential influencing factors on the outcome in incisional hernia repair: a registry-based multivariable analysis of 22.895 patients. Köckerling F, Hoffmann H, Adolf D, Reinbold W, Kichhoff P, Mayer F, Weyhe D, Lammers B, Emmanuel K. *Hernia*. 2020 Apr 10. DOI: 10.1007/s10029-020-02184-9. PMID: 32277370. Online ahead of print.
14. PREDICtors for health-related quality of life after elective sigmoidectomy for DiVerticular disease: the PREDIC-DIV study protocol of a prospective multicentric transnational observational study. Sohn M, Agha A, Iesalnieks I, Bremer S, Trum S, Di Cerbo F, Nerlich A, Lotz N, Klieser E, Hochrein A, Schredl P, Kalcheva D, Emmanuel K, Presl J. *BMJ Open*. 2020 Mar 24;10(3):e034385. DOI: 10.1136/bmjopen-2019-034385. PMID: 32209628
15. The Peritoneal Surface Calculator (PESUCA): A new tool to quantify the resected peritoneal surface area after cytoreductive surgery. Schredl P, Ramspott JP, Neureiter D, Emmanuel K, Jäger T. *Pleura Peritoneum*. 2020 Feb 26;5(1):20190031. DOI: 10.1515/pp-2019-0031. eCollection 2020 Mar 1. PMID: 32885035

Univ.-Prof. Dr.  
**Klaus EMMANUEL**  
PRIVATORDINATION

16. Expression of the microRNA-200 Family, microRNA-205 and Markers of Epithelial-Mesenchymal Transition as Predictors for Endoscopic Submucosal Dissection over Esophageal Adenocarcinoma: A Single-Center Experience. Neureiter D, Mayr C, Winkelmann P, Neumayer B, Klieser E, Wagner A, Hufnagl C, Emmanuel K, Holzinger J, Koch O, Kiesslich T, Varga M. *Cells*. 2020 Feb 20;9(2):486. DOI: 10.3390/cells9020486. PMID: 32093260
17. Surgical and radiological behavior of MRI-depictable mesh implants after TAPP repair: the IRONMAN study. Lechner M, Meissnitzer M, Borhanian K, Bittner R, Kaufmann R, Mayer F, Jäger T, Mitterwallner S, Emmanuel K, Forstner R. *Hernia*. 2019 Dec;23(6):1133-1140. DOI: 10.1007/s10029-019-02019-2. Epub 2019 Jul 31. PMID: 31367964
18. Short-term results after laparoscopic repair of giant hiatal hernias with pledgeted sutures: a retrospective analysis. Weitzendorfer M, Pfandner R, Antoniou SA, Schwaiger-Hengstschläger C, Emmanuel K, Koch OO, Herina. 2019 Apr;23(2):397-401. DOI: 10.1007/s10029-019-01890-3. Epub 2019 Jan 25. PMID: 30684104
19. Perioperative chemotherapy versus neoadjuvant chemoradiation for patients with adenocarcinoma of the distal esophagus in Austria: a retrospective analysis. Koch OO, Weitzendorfer M, Varga M, Tschorner A, Partl R, Perathoner A, Gehwolf P, Kapp KS, Függer R, Öfner D, Emmanuel K. *World J Surg Oncol*. 2019 Aug 19;17(1):146. DOI: 10.1186/s12957-019-1693-6. PMID: 31426805
20. Retroperitoneal Liposarcoma: A Concern in Inguinal Hernia Repair. Lechner M, Borhanian K, Mitterwallner S, Bittner R, Klieser E, Köhler G, Emmanuel K, Mayer F. *J SLS*. 2019 Jan-Mar;23(1): e2018.00064, DOI: 10.4293/JSL.2018.00064, PMID: 30700965
21. Austrian consensus guidelines on imaging requirements prior to hepatic surgery and during follow-up in patients with malignant hepatic lesions. Tamandl D, Ba-Ssalamah A, Böhm G, Emmanuel K, Forstner R, Függer R, Henninger B, Koch O, Kölblingen C, Mischinger HJ, Schima W, Schöllnast H, Stättner S, Kaczirek K, Wien Klin Wochenschr. 2018 Aug 30., DOI: 10.1007/s00508-018-1387-z [Epub ahead of print]
22. The potential predictive value of tumor budding for neoadjuvant chemoradiotherapy response in locally advanced rectal cancer. Jäger T, Neureiter D, Fallaha M, Schredl P, Kiesslich T, Urbas R, Klieser E, Holzinger J, Sedlmayer F, Emmanuel K, Dinnewitzer A, Strahlenther Onkol 2018 Nov; 194(11):991-1006, DOI: 10.1007/s00066-018-1340-0
23. Clinical feasibility of a new full-thickness endoscopic plication device (GERDxTM) for patients with GERD: results of a prospective trial. Weitzendorfer M, Spaun GO, Antoniou SA, Witzel K, Emmanuel K, Koch OO, Surg Endosc. 2018 May; 32(5):2541-2549, DOI: 10.1007/s00464-018-6153-9
24. Nonmetastatic pancreatic cancer: Improved survival with chemoradiotherapy > 40 Gy after systemic treatment, Bachmayer S, Fastner G, Faszi A, Iglseder W, Kopp P, Holzinger J, Dinnewitzer A, Rinnerthaler G, Gampenrieder SP, Emmanuel K, Greil R, Sedlmayer F, Zehentmayr F, Strahlenther Onkol. 2018 Mar 1, DOI: 10.1007/s00066-018-1281-7
25. A proposal for a tailored approach for temporary decompression of colorectal anastomosis: results of a retrospective analysis L Manzenreiter, G Spaun, M Weitzendorfer, H Wundsam, R Luketina, O Koch, K Emmanuel, Minerva chir. 2018 Feb; 73(1):29-35, DOI: 10.23736/S0026-4733.17.07486-7
26. Preoperative diagnosis of hiatal hernia: barium swallow X-ray, high-resolution manometry, or endoscopy? Weitzendorfer M, Köhler G, Antoniou SA, Pallwein-Prettner L, Manzenreiter L, Schredl P, Emmanuel K, Koch OO, Eur Surg 2017; 49(5):210-217, DOI: 10.1007(s10353-017-0492-y)
27. Role of Pepsin and Oropharyngeal pH-Monitoring to Assess the Postoperative Outcome of Patients with Laryngopharyngeal Reflux: Results of a Pilot Trial Weitzendorfer M, Pfandner R, Antoniou SA, Langsteger W, Witzel K, Emmanuel K, Koch OO, J Laparoendosc. Adv. Surg Tech A. 2017 Sep; 27(9):937-943, DOI: 10.1089/lap.2017.0360
28. Single-incision surgery trocar-site hernia: an update systematic review meta-analysis with trial sequential analysis by the Minimally Invasive Surgery Synthesis of Interventions Outcomes Network (MISSION) Antoniou SA, Garcia-Alamino JM, Hajbandeh S, Weitzendorfer M, Muysoms FE, Granderath FA, Chalkiadakis GE, Emmanuel K, Antoniou GA, Gioumidou M, Iliopolou-Kosmadaki S, Mathioudaki M, Soulriotis K, Surg Endosc 10.07.2017, DOI: 10.1007/s00464-017-5717-4
29. Applicability of American Joint Committee on Cancer and College of American Pathologists Regression Grading System in Rectal Cancer Tarkan Jäger, Daniel Neureiter, Romana Urbas, Eckhard Klieser, Wolfgang Hitzl, Klaus Emmanuel, Adam Dinnewitzer, Dis Colon Rectum 2017 Aug, 60(8):815-826, DOI: 10.1097/DCR.0000000000000806
30. Laparoscopic stoma relocation for parastomal hernia treatment by using a magnetic resonance visible three-dimensional implant, Köhler G, Emmanuel K, ANZ J Surg. 2017 May; 87(5):411-412, DOI: 10.1111/anzs.12899

Univ.-Prof. Dr.  
**Klaus EMMANUEL**  
PRIVATORDINATION

31. Interim Report of a Prospectiv Trial on the Clinical Efficiency of a New Full-thickness Endoscopic Plication Device for Patients with GERD: Impact of Changed Suture Material Weitzendorfer M, Spaun GO, Antoniou SA, Tschner A, Schredl P, Emmanuel K, Koch OO, Surg Laparoscop Endosc Percutan Tech 4/2017, (Epub ahead of print)
32. Photodynamic therapy with polyhematoporphyrin for malignant biliary obstruction: A nationwide retrospective study of 150 consecutive applications Dolak W, Schwaighofer H, Hellmich B, Stadler B, Spaun G, Plieschner W, Hebenstreit A, Weber-Eibel J, Siebert F, Emmanuel K, Knofalch P, Gschwantler M, Vogel W, Trauner M, Püspök A, United European Gastroenterol J 2/2017, DOI: 10.1177/2050640616654037
33. Self-Gripping Meshes for Lichtenstein Repair. Do We Need Additional Suture Fixation? Köhler G, Lechner M, Mayer F, Köckerling F, Schrittweiser R, Fortelny RH, Adolf D, Emmanuel K, World J Surg 2016 Jun, DOI: 10.1007/s00268-015-3313-0
34. Procalcitonin ratio and on-demand relaparotomy for septic peritonitis: validation of the focus index (FI). Volker Assfalg, Petra Wolf, Daniel Reim, Norbert Hüser, Georg Hellbrügge, Edouard Matevossian, Helmut Friess, Bernhard Holzmann, Klaus L Emmanuel, Alexander R Novotny, Surgery Today 07/2015; DOI: 10.1007/s00595-015-1226-z
35. Prevention of parastomal hernias with 3D funnel meshes in intraperitoneal onlay position by placement during initial stoma formation. Köhler G, Hofmann A, Lechner M, Mayer F, Wundsam H, Emmanuel K, Fortelny RH, Hernia 2016 Feb, DOI: 10.1007/s10029-015-1380-7
36. Peritonealcarzinose. Behandlung mit zytoreduktiver Chirurgie und hyperthermer intraperitonealer Chemotherapie. Klemens Rohregger, Klaus Emmanuel, Springer Verlag 01/2016, DOI 10.1007/s00740-015-0088-8
37. Self-Gripping Meshes for Lichtenstein Repair. Do We Need Additional Suture Fixation? Köhler G, Lechner M, Mayer F, Köckerling F, Schrittweiser R, Fortelny RH, Adolf D, Emmanuel K, World Journal of Surgery 11/2015, DOI: 10.1007/s00268-015-3313-0
38. Changes in the Surgical Management of Parastomal Hernias Over 15 Years: Results of 135 Cases. Gernot Köhler, Franz Mayer, Helwig Wundsam, Rudolf Schrittweiser, Klaus Emmanuel, Michael Lechner, Word Journal of Surgery 08/2015; DOI: 10.1007/s00268-015-3187-1
39. First human magnetic resonance visualisation of prosthetics for laparoscopic large hiatal hernia repair. Köhler G, Pallwein-Prettner L, Lechner M, Spaun GO, Koch OO, Emmanuel K, Hernia 07/2015; DOI: 10.1007/s10029-015-1398-x
40. Magnetic resonance visible 3-D funnel meshes for laparoscopic parastomal hernia prevention and treatment. G. Köhler, H. Wundsam, L. Pallwein-Prettner, O.O. Koch, K. Emmanuel, Eur Surg 05/2015; DOI: 10.1007/s10353-015-0319-7
41. Temoporfin improves efficacy of photodynamic therapy in advanced biliary tract carcinoma: A multicenter prospective phase II study. Andrej Wagner, Denzer U.W., Daniel Neureiter, Tobias Kiesslich, Andreas Puespoeck, Rauws E.A., Klaus Emmanuel, Nora Degenhardt, Ulrich Frick, Ulrich Beuers, Lohse A.W., Frieder Berr, Wolkersdörfer G.W., Hepatology 05/2015; DOI: 10.1002/hep
42. Prevention of parastomal hernias with 3D funnel meshes in intraperitoneal onlay position by placement during initial stoma formation. G Köhler, A Hofmann, M Lechner, F Mayer, H Wundsam, K Emmanuel, RH Fortelny, Hernia 04/2015; DOI: 10.1007/s10029-015-1380-7
43. Magnetic Resonance visible meshes for laparoscopic ventral hernia repair. G. Köhler, L. Pallwein-Prettner, OO. Koch, RR. Luketina, M. Lechner, K. Emmanuel, JSLS: Journal of the Society of Laparoendoscopic Surgeons / Society of Laparoendoscopic Surgeons 04/2015; 19(1); DOI: 10.4293/JSLS.2014.00175
44. Synthetic Mesh Repair for Incisional Hernia Treatment in High-risk Patients for Surgical Site Occurrences. G. Köhler, M. Weitzendorfer, V. Kalcher, K. Emmanuel, The American Surgeon 04/2015; 81(4):387-394
45. Interventional procedures in the treatment of gastroesophageal reflux disease. Koch OO, Köhler G, Wundsam H, Weitzendorfer M, Spaun GO, Emmanuel K, Der Chirurg 01/2015; DOI: 10.1007/s00104-014-2912-x
46. Value of FDG PET/CT versus stand-alone CT for assessing patients with colon cancer. Akbari K, Haim S, Emmanuel K, Köhler G, Wundsam H, Weitzendorfer M, Fellner F, Pirich C, Langsteger W, Beheshti M, European Radiology 2015 Jan. (submitted)
47. Laparoscopic stoma relocation for parastomal hernia treatment by using a magnetic resonance visible three-dimensional implant. Gernot Köhler, Klaus Emmanuel, ANZ Journal of Surgery 12/2014; DOI: 10.1111/ans.12899
48. Single-Port Parastomal Hernia Repair by Using 3-D Textile Implants. Gernot Köhler, Klaus Emmanuel, Rudolf Schrittweiser, JSLS: Journal of the Society of Laparoendoscopic Surgeons / Society of Laparoendoscopic Surgeons 10/2014; Jul-Sept. (18(3)):e2014.00034; DOI: 10.4293/JSLS.2014.00034

Univ.-Prof. Dr.  
**Klaus EMMANUEL**  
PRIVATORDINATION

49. Obesity does not affect the outcome of laparoscopic antireflux surgery. Ruzica-Rosalia Luketina, Oliver Owen Koch, Gernot Köhler, Stavros A. Antoniou, Klaus Emmanuel , Rudolph Pointner, Surgical Endoscopy 10/2014; 29(6); DOI: 10.1007/s00464-014-3842-x
50. 45-Stenting for Emergency Colorectal Obstruction: An Analysis of 204 Patients in Relation to Predictors of Failure and Complications. G. Köhler, Lechner M, Mayer F, Mair J, Emmanuel K, Scandinavian journal of surgery: SJS: official organ for the Finnish Surgical Society and the Scandinavian Surgical Society 09/2014; DOI: 10.1177/1457496914552342
51. Sutured Repair of Primary Small Umbilical and Epigastric Hernias: Concomitant Rectus Diastasis is a significant Risk Factor for Recurrence. Gernot Köhler, Ruzica-Rosalia Luketina, Klaus Emmanuel, World Journal of Surgery 09/2014; 39(1); DOI: 10.1007/s00268-014-2765-y
52. Neoadjuvante Therapie beim operablen Ösophaguskarzinom. Ruzica-Rosalia Luketina, Klaus Klaus Emmanuel, Springer Verlag 08/2014; DOI: 10.1007/s00740-014-0002-9
53. Parastomal hernia repair with a 3-D mesh device and additional flat mesh repair of the abdominal wall. G. Köhler, OO Koch, SA Antoniou, M Lechner, F Mayer, U Klinge, K Emmanuel, Hernia 08/2014; 18(5); DOI: 10.1007/s10029-014-1302-0
54. "Acute intrathoracic stomach!" How should we deal with complicated type IV paraesophageal hernias? G. Köhler, OO Koch, SA Antoniou, K Emmanuel, R Pointner, Hernia 07/2014; DOI: 10.1007/s10029-014-1285-x
55. 50.Comparison of 231 patients receiving either „pull-through“ or „push“ percutaneous endoscopic gastrostomy. Gernot Köhler, Veronika Kalcher, Oliver O Koch, Ruzica-R Luketina, Klaus Emmanuel, Georg Spaun, Surgical Endoscopy 07/2014; 29(1); DOI: 10.1007/s00464-014-3673-9
56. Prevention of Subcutaneous Seroma Formation in Open Ventral Hernia Repair by Using a New Low-Thrombin Fibrin Sealant. Gernot Köhler, Oliver Owen Koch, Stavros A Antoniou, Michael Lechner, Franz Mayer, Klaus Emmanuel, World Journal of Surgery 07/2014; 38(11); DOI: 10.1007/s00268-014-2691-z
57. Comparison of a standard CO<sub>2</sub> pressure pneumoperitoneum insufflator versus AirSeal™: study protocol of a randomized controlled trial. Ruzica Rosalia Luketina, Michael Knauer, Gernot Köhler, Oliver Owen Koch, Klaus Strasser, Margot Egger, Klaus Emmanuel, Trials 06/2014; 15(1):239; DOI: 10.1186/1745-6215-15-239
58. Early protective ileostomy closure following Stoma Formation with a dual-sided absorbable adhesive barrier. G. Köhler, F. Spaun, R.R Luketina, S.A. Antoniou, O.O. Koch, K. Emmanuel, European Surgery 06/2014; DOI: 10.1007/s10353-014-0266-8
59. Component Separation for Closing Large Abdominal Wall Defects: Evolution of a Method from 1990 to Present Day. G Köhler, RR Luketina, OO Koch, K Emmanuel, Zentralblatt für Chirurgie 04/2014; DOI: 10.1055/s-0034-1368378
60. Relevance of Surgery after Embolization of Gastrointestinal and Abdominal Hemorrhage. Gernot Köhler, Olive Owen Koch, Stavros A Antoniou, Franz Mayer, Michael Lechner, Leo Pallwein-Prettner, Klaus Emmanuel, World Journal of Surgery 04/2014; 38(9); DOI: 10.1007/s00268-014-2570-7
61. Vergleich von 2 Nahtgeräten zur endoskopischen Therapie der gastroösophagealen Refluxerkrankung, G Spaun, O Koch, K Emmanuel, Endoskopie heute 03/2014; 27(01); DOI: 10.1055/s-0034-1371042
62. Morbidity after Insertion of Totally Implantable Venous Access Ports in Oncological Patients: Results of a Retrospective Clinical Study. Manuela Aspalter, Michael Lechner, Klaus Linni, Wolfgang Hitzl, Thomas Hölzenbein, Dietmar Öfner, Klaus Emmanuel, The American surgeon 02/2014; 80(2):204-207
63. APACHE II and Mannheim Peritonitis Index (MPI) fail to predict lethality in septic peritonitis in immunosuppressed solid organ transplant recipients. V. Assafalg MD, D. Reim MD, E. Matevossian MD, B. Holzmann MD, K. Emmanuel MD, A. Novotny MD, N. Hüser MD, European Surgery 08/2013; 45(4); DOI: 10.1007/s10353-013-0218-8
64. Endoscopic grading of the gastroesophageal flap valve is correlated with reflux activity and can predict the size of the esophageal hiatus in patients with gastroesophageal reflux disease. Oliver Owen Koch, Georg Spaun, Stavros A. Antoniou, Charlotte Rabl, Gernot Köhler, Klaus Emmanuel, Dietmar Öfner, Rudolph Pointner, Surgical Endoscopy 07/2013; 27(12); DOI: 10.1007/s00464-013-3071-8
65. Photodynamic therapy for hilar bile duct cancer: clinical evidence for improved tumoricidal tissue penetration by temoporfin. Andrey Wagner, Tobias Kiesslich, Daniel Neureiter, Paul Friesenbichler, Andreas Puespoek, Ulrike W Denzer, Gernot W Wölkersdörfer, Klaus Emmanuel, Ansgar W Lohse, Frieder Berr, Photochemical and Photobiological Sciences 04/2013; 12(6); DOI: 10.1039/c3pp25425a

Univ.-Prof. Dr.  
**Klaus EMMANUEL**  
PRIVATORDINATION

66. Comparision of results from a randomized trial 1 year after laparoscopic Nissen and Toupet funduplications. Oliver O Koch, Adolf Kaindlstorfer, Stavros A Antoniou, Ruzica Rosalia Luketina, Klaus Emmanuel, Rudolphph Pointner, *Surgical Endoscopy* 01/2013; 27(7); DOI: 10.1007/s0464-013-2803-0
67. Imaging of bone metastases in prostate cancer: an update. W Langsteger, S Haim, M Knauer, P Waldenberger, K Emmanuel, W Loidl, I Wolf, M Beheshti, *The quarterly Journal of nuclear medicine and molecular imaging: official publication of the Italian Association of Nuclear Medicine (AIMIN)* 10/2012; 56(5):447-58
68. Extrahepatic Cholangiocarcinoma: Current State of Palliation Therapy. GW Wolkersdörfer, F Berr, C Nawara, K Emmanuel, *Zentralblatt für Chirurgie* 04/2012; 137(6); DOI: 10.1055/s-0031-1283917
69. Molecular mediators of polymicrobial sepsis. Sandra Wintersteller, Jens Hahnhausen, Barbara Kofler, Klaus Emmanuel, *Frontiers in bioscience (Elite edition)* 01/2012; 4:2584-604
70. Mixed antagonist response and sepsis severity-dependent dysbalance of pro- and anti-inflammatory responses at the onset of postoperative sepsis. Alexander R Novotny, Daniel Reim, Volker Assfalg, Felicitas Altmayr, Helmut M Friess, Klaus Emmanuel, Bernhard Holzmann, *Immunobiology* 11/2011; 217(6): 616-21; DOI: 10.1016/j.imbio.2011.10.019
71. Life-threatening gastric dilatation with anorexia nervosa. I. Häusler, C. Augschöll, C. Rabl, D. Öfner-Velano, K. Emmanuel, *European Surgery* 10/2011; 43(5); DOI: 10.1007/s10353-011-0616-8
72. Recent developments in the diagnosis and treatment of bile duct cysts: a review. C Nawara, G Wolkersdörfer, D Öfner-Velano, K Emmanuel, *European Surgery* 10/2011; 43(5); DOI: 10.1007/s10353-011-0006-2
73. Laparoscopic liver resection – a substantial progress towards multimodal treatment of metastases. K. Emmanuel, D Öfner, C Augschöll, *Magazine of European Medical Oncology* 09/2011; 4(3):167-8; DOI: 10.1007/s12254-011-0284-1
74. Loop retraction of the gallbladder in single incision laparoscopic cholecystectomy. C. Rabl, J. Hutter, S. Reich-Weinberger, K. Emmanuel, D. Oefner-Velano, *European Surgery* 08/2011; 43(4):229-232; DOI: 10.1007/s10353-011-0008-0
75. Emergency Surgery with Oncological Principles for Intussusception in Adults. Franz B, Rabl CH, Neureiter D, Öfner D, Emmanuel K, *European Surgery* 2011;42:152-4
76. Emergency surgery for enteric and colonic intussusception in adults. B. Franz, C. Rabl, D. Neureiter, D. Öfner, K. Emmanuel, *European Surgery* 08/2010; 42(4):180-183; DOI: 10.1007/s10353-010-0549-7
77. Efficacy of temoporfin photodynamic therapy (PDT) for bile duct cancer. GW Wolkersdörfer, K Emmanuel, U Denzer, A Puespoek, D Neureiter, T Kiesslich, AW Lohse, F Berr, *Zeitschrift für Gastroenterologie* 08/2010; 48(08); DOI: 10.1055/s-0030-1263811
78. Laparoscopy as a diagnostic tool in patients with occult gastrointestinal bleeding - report of a case. C. Augschoell, C. Rabl, H. Walclawiczek, D. Neureiter, K. Emmanuel, *European Surgery* 06/2010; 42(3):152-154; DOI: 10.1007/s10353-010-0540-3
79. Combined immunosuppressive and antibiotic therapy improves bacterial clearance and survival of polymicrobial septic peritonitis. Volker Assfalg, Norbert Hüser, Daniel Reim, Simone Kaiser-Moore, Tanja Rossmann-Bloeck, Heike Weighardt, Alexander Novotny, Manfred J Stangl, Bernhard Holzmann, Klaus Emmanuel, *Shock (Augusta Ga.)* 06/2009; 33(2):155-61; DOI: 10.1097/SHK.0b013e3181ab9014
80. Procalcitonin ratio indicates successful surgical treatment of abdominal sepsis. Alexander R Novotny, Klaus Emmanuel, Norbert Hueser, Carolin Knebel, Monika Kriner, Kurt Ulm, Helger Bartels, Jörg Rüdiger Siewert, Bernhard Holzmann, *Surgery* 02/2009; 145(1):20-6; DOI: 10.1016/j.surg.2008.08.009
81. Liver First! Neue Leitlinie bei synchronen Metastasen. D. Öfner, K. Emmanuel, M. Zitt, *Krebshilfe* 4; 2009
82. Austrian consensus on the surgical treatment of colorectal liver metastases. Öfner D, Grünberger T, Eistserer W on behalf of the Participants of the 1st Austrian Consensus Conference on Resection of Colorectal Liver Metastases (Participant: K. Emmanuel), *European Medical Oncology* 2009;2:38-40
83. Is early detection of anastomosis dehiscence possible using the c-reactive protein? Dabering W, Emmanuel K, Hutter J, Stein HJ, *European Surgery* 2008;224:61
84. Neue Lasertechnologie in der resezierenden Leberchirurgie. Emmanuel K, Dinnewitzer A, Von Rahden B, Kauer W, Stein HJ, *European Surgery* 2008;224:96
85. Was ist technisch machbar, was onkologisch sinnvoll! Paradigmenwechsel in der Leber-metastasenchirurgie. Emmanuel K, Dinewitzer A, von Rahden B, Kauer W, Stein HJ, *European Surgery* 2008;224:97

Univ.-Prof. Dr.  
**Klaus EMMANUEL**  
PRIVATORDINATION

86. Programmierte Relaparotomie versus Relaparotomie on demand. Emmanuel K, Von Rahden B, Dinnewitzer A, Kauer W, Stein HJ, European Surgery 2008;224:91
87. Clinical utility of High Resolution Manometry (HRM) for Diagnosis of esophageal motility disorders. Gellersen O, Kauer W, von Rahden B, Emmanuel K, Stein HJ, European Surgery 2008;224:87
88. Ultrapro Hernien-System kombinierter anteriorer und posteriorer Hernienrepair. Gellersen O, Kauer W, Emmanuel K, Stein HJ, European Surgery 2008;224:28
89. Schlüsselrolle von Kupfferzellabhängigen Interleukin 10 in der Immunabwehr der abdo-minellen Sepsis. Genslucker S, Kolarz G, Stein HJ, Holzmann B, Emmanuel K, European Surgery 2008;224:56
90. Use of procalcitonin for early prediction of lethal outcome of postoperative sepsis. Alexander Novotny, Klaus Emmanuel, Edouard Matevossian, Monika Kriner, Kurt Ulm, Holger Bartels, Bernhard Holzmann, Heike Weighardt, Jörg-Rüdiger Siewert, American journal of surgery 08/2007; 194(1):35-9; DOI: 10.1016/j.amjsurg.2006.10.026
91. Cytochrome P450 activity mirrors nitric oxide levels in postoperative sepsis: Predictive indicators of lethal outcome. Alexander R Novotny, Klaus Emmanuel, Stefan Maier, Alexandra Westerholt, Heike Weighardt, Josef Stadler, Holger Bartels, Markus Schwaiger, Jörg-Rüdiger Siewert, Bernhard Holzmann, Claus-Dieter Heidecke, Surgery 04/2007; 14(3):376-84; DOI: 10.1016/j.surg.2006.08.011
92. Blood interleukin 12 as preoperative predictor of fatal postoperative sepsis after neo-adjuvant radiochemotherapy. A R Novotny, K Emmanuel, K Ulm, H Bartels, J-R Siewert, H Weighardt, B Holzmann, British Journal of Surgery 10/2006; 93(10):1283-9; DOI: 10.1002/bjs.5404
93. Indicators for early prediction of outcome in sepsis. A Novotny, K Emmanuel, H Bartels, J-R Siewert, B Holzmann, Der Chirurg 09/2005; 76(9):837-44
94. Current and Future concepts of Abdominal Sepsis. Klaus Emmanuel, Heike Weighardt, Holger Bartels, Jörg-Rüdiger Siewert, Bernhard Holzmann, World Journal of Surgery 02/2005; 29(1):3-9; DOI: 10.1007/s00268-004-7769-6
95. Effects of functional Toll-like receptor-4 mutations on the immune response to human and experimental sepsis. Carolin Feterowski, Klaus Emmanuilidis, Thomas Miethke, Klaus Gerauer, Martina Rump, Kurt Ulm, Bernhard Holzmann, Heike Weighardt, Immunology 08/2003; 109(3): 426-31; DOI: 10-1046/j.1365-2567.2003.01674.x
96. Effects of functional Toll-like receptor-4 mutations on the immune response to human and experimental sepsis. Feterowski C, Emmanuilidis K, Miethke T, Gerauer K, Rump M, Ulm K, Holzmann B, Weighardt H, Immunology 07/2003; 109:426-31
97. Differential regulation of systemic IL-18 and IL-12 release during postoperative sepsis: high serum IL-18 as an early predictive indicator of lethal outcome. Klaus Emmanuilidis, Heike Weighardt, Edouard Matevossian, Claus-Dieter Heidecke, Kurt Ulm, Holger Bartels, Jörg-Rüdiger Siewert, Bernhard Holzmann, Shock 10/2002; 18(4):301-5; DOI: 10.1097/00024382-200210000-00002
98. Systemic neuropeptide levels as predictive indicators for lethal outcome in patients with postoperative sepsis. Sandra Beer, Heike Weighardt, Klaus Emmanuilidis, Marit D Harzenetter, Edouard Matevossian, Claus-Dieter Heidecke, Holger Bartels, Jörg-Rüdiger Siewert, Bernhard Holzmann, Critical Care Medicine 09/2002; 30(8):1794-8; DOI: 10.1097/00003246-200208000-00020
99. Impaired monocyte IL-12 production before surgery as a predictive factor for the lethal outcome of postoperative sepsis. Heike Weighardt, Claus-Dieter Heidecke, Alexandra Westerholt, Klaus Emmanuilidis, Stefan Maier, Martin Veit, Klaus Gerauer, Edouard Matevossian, Kurt Ulm, Jörg-Rüdiger Siewert, Bernhard Holzmann, Annals of Surgery 05/ 2002; 235(4):560-7; DOI: 10.1097/00000658-200204000-00015
100. Critical role of Kupffer cell-derived IL-10 for host defense in septic peritonitis. K Emmanuilidis, H Weighardt, S Maier, K Gerauer, T Fleischmann, XX Zheng, WW Hancock, B Holzmann, CD Heidecke, The Journal of Immunology 11/2001; 167(7):3919-27; DOI: 10.4049/jimmunol.167.7.3919
101. Immune protection against septic peritonitis in endotoxin-primed mice is related to reduced neutrophil apoptosis. Carolin Feterowski, Heike Weighardt, Klaus Emmanuilidis, Thomas Hartung, Bernhard Holzmann, European Journal of Immunology 04/2001; 31(4) :1268-77; DOI: 10.1002/1521-4141(200104)31:4<1268::AID-IMMU1268>3.0.CO;2-C
102. Massive chemokine transcription in acute renal failure due to polymicrobial sepsis. Stefan Maier, Klaus Emmanuilidis, Markus Entleutner, Niko Zantl, Martin Werner, Klaus Pfeffer, CD Heidecke, Shock 09/2000; 14(2):187-92; DOI: 10.1097/00024382-200014020-00019

Univ.-Prof. Dr.  
**Klaus EMMANUEL**  
PRIVATORDINATION

103. Sepsis after major visceral surgery is associated with sustained and interferon-gamma-resistant defects of monocyte cytokine production. Heike Weighardt, CD Heidecke, Klaus Emmanuilidis, Stefan Maier, Holger Bartels, JR Siewert, Bernhard Holzmann, *Surgery* 04/2000; 127(3):309-15: DOI: 10.1067/msy.2000.104118
104. Intraabdominal infection is associated with a sustained and INF-( resistant suppression of monocyte cytokines. Weighardt H, Heidecke CD, Emmanuilidis K, Maier S, Bartels H, Siewert JR, Holzmann B, *Surgery*. 2000 Mar;127(3):309-15
105. Intoxication due to negative canrenone interference in digoxin drug monitoring. Werner Steimer, Christine Müller, Klaus Emmanuilidis, *The Lancet* 11/1999; 354(9185):1176-7; DOI: 10.1016/S0140-6736(99)03818-0
106. Mechanisms of acute inflammatory lung injury induced by abdominal sepsis. B Neumann, N Zantl, A Veihelmann, K Emmanuilidis, K Pfeffer, CD Heidecke, B Holzmann, *International Immunology* 03/1999; 11(2):217-27
107. Distinct functions of interferon-gamma for chemokine expression in models of acute lung Inflammation. B Neumann, K Emmanuilidis, M Stadler, B Holzmann, *Immunology* 01/1999; 95(4):512-21; DOI: 10.1046/j.1365-2567.1998.00643.x
108. Long term cardiac allograft survival in mice treated with malononitrilamide 715. K Gerauer, S Maier, K Emmanuilidis, N Chambron, K Pfeffer, CD Heidecke, *Transplantation Proceedings* 01/1999; 30(8):4205-6; DOI: 10.1016/S0041-1345(98)1394-3